This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

1) International Patent Classification 6	:		(11) International Publication Number: WO 98/313
A61K 9/72, 31/165		A1	(43) International Publication Date: 23 July 1998 (23.07.9
21) International Application Number:	PCT/SE	98/0003	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, B BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, C
22) International Filing Date: 13	January 1998 (13.01.91	
30) Priority Data: 9700134-1 20 January 19	997 (20.01.97)	S	TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARI
71) Applicant (for all designated States AKTIEBOLAG [SE/SE]; S-151 85	except US): Södertälje (SE	ASTR .).	
72) Inventor; and 75) Inventor/Applicant <i>(for US only)</i> : T Vapenkroken 34, S-226 47 Lund (ROFAST, Jan SE).	(SE/SE	Published With international search report. Before the expiration of the time limit for amending
74) Agent: ASTRA AKTIEBOLAG; P Södertäije (SE).	atent Dept., S	i=151 8	
•			
			·
		HAV	NG A POURED BULK DENSITY OF FROM 0.28 TO 0.38 G/N
COMPRISING FORMOTERO		HAV	NG A POURED BULK DENSITY OF FROM 0.28 TO 0.38 G/M
COMPRISING FORMOTERO 57) Abstract	L		
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein suseful in the treatment of respiratory disorders.
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein suseful in the treatment of respiratory disorders.
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein suseful in the treatment of respiratory disorders.
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	rrier substance, both of which are in finely divided form, wherein suseful in the treatment of respiratory disorders.
COMPRISING FORMOTERO 57) Abstract A dry powder composition comprisi	L	and a c	

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	A Maria	ES	Spain	LS	Lesotho	SI	Slovenia
AL	Albania	FI	Finland	LT	Lithuania	SK	Slovakia
AM	Armenia	FR	France	LU	Luxembourg	SN	Senegal
AT	Austria	GA	Gabon	LV	Latvia	SZ	Swaziland
AU	Australia		United Kingdom	MC .	Monaco	TD	Chad
ΑZ	Azerbaijan	GB	_	MD	Republic of Moldova	TG	Togo
BA	Bosnia and Herzegovina	GE	Georgia		•	TJ	Tajikistan
BB	Barbados	GH	Ghana	MG	Madagascar	TM	Turkmenistan
BE	Belgium	GN	Guinca	MK	The former Yugoslav	TR	Turkey
BF	Burkina Faso	GR	Greece		Republic of Macedonia		
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MŖ	Mauritania	UG	Uganda ^
BY	Belarus	15	Iceland	MW	Malawi	US	United States of America
CA	Canada	IŤ	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
	Cuba	KZ	Kazakstan	RO	Romania		
CU	Czech Republic	LC	Saint Lucia	RU	Russian Federation		_
CZ		ü	Liechtenstein	SD	Sudan		·
DE	Germany В	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia	LR	LIUCIA	30			

20

NEW FORMULATION FOR INHALATION HAVING A POURED BULK DENSITY OF FROM 0.28 TO 0.38 G/ML, COMPRISING FORMOTEROL

Field of the Invention

The present invention provides a new pharmaceutical formulation, its preparation and its use.

Background to the Invention

Potent drugs for administration by inhalation are generally formulated in association with carriers such as lactose because of the problem of preparing accurate doses. When such drugs are diluted, variations in the weight of the formulation result in a smaller drug dosage variation rate compared with when they are not diluted. These formulations have generally consisted of coarse particles of the carrier with fine particles of the drug, which combination is generally known as an ordered mixture.

The invention provides an improved formulation which, in systems designed to imitate inhalation has been found to give an improved dispersion of the drug.

Description of the Invention

According to the invention there is provided a dry powder composition comprising an active substance which is formoterol, a pharmaceutically acceptable salt or solvate thereof, or a solvate of such a salt, and a carrier substance, both of which are in finely divided form, wherein the formulation has a poured bulk density of from 0.28 to 0.38 g/ml, preferably from 0.30 to 0.36 g/ml.

The poured bulk density according to the present invention is measured using known techniques, for example those described in "Powder testing guide: Methods of measuring the physical properties of Bulk powders" L. Svarovsky, Elsevier Applied Science 1987, pp 84-86.

Suitable physiologically acceptable salts of formoterol include acid addition salts derived from inorganic and organic acids, for example the chloride, bromide, sulphate, phosphate, maleate, fumarate, tartrate, citrate, benzoate, 4-methoxybenzoate, 2- or 4-hydroxybenzoate, 4-chlorobenzoate, p-toluenesulphonate, methanesulphonate, ascorbate, acetate, succinate, lactate, glutarate, gluconate, tricarballylate, hydroxynaphthalene-carboxylate or oleate salts or solvates thereof. The active substance is preferably formoterol fumarate, especially as the dihydrate.

The carrier substance is preferably a mono-, di- or polysaccharide, a sugar alcohol or another polyol. Suitable carriers are, for example, lactose, glucose, raffinose, melezitose, lactitol, maltitol, trehalose, sucrose, mannitol; and starch. Lactose is particularly preferred, especially in the form of its monohydrate.

The ingredients of the formulation according to the invention must both be in a finely divided form, i.e. their mass median diameter should generally be less than $10 \,\mu\text{m}$, preferably from 1 to $7 \,\mu\text{m}$, as measured by a laser diffraction instrument or a coulter counter. The ingredients may be produced in the desired particle size using methods known to those of skill in the art, e.g. milling, micronisation or direct precipitation.

The composition according to the invention is preferably formulated to comprise, as a daily dose, from 5 to 250 nmol, more preferably from 15 to 120nmol of the active substance. When the active substance is formoterol fumarate dihydrate, the composition is preferably formulated to provide a daily dose of from 3 to 96 µg, more preferably from 3 to 48 µg and most preferably from 3 to 24 µg of formoterol fumarate dihydrate. More preferably the composition is formulated to provide unit doses of 3, 4.5, 6, 9 or 12 µg of formoterol fumarate dihydrate. The composition is preferably formulated to comprise in each unit dose from 50 µg to 25 mg of the carrier substance, more preferably from 50 µg to 10mg, most preferably from 100 to 4000 µg.

According to the invention there is further provided a process for preparing a composition according to the invention which comprises

- (a) micronising the active substance and the carrier substance;
- (b) optionally conditioning the product; and
- (c) spheronizing until the desired bulk density is obtained.

The process preferably further comprises a low energy remicronisation step after step (b).

The formulation according to the invention may be made by conventional techniques known per se. Such production processes generally comprise micronising the ingredients to the required size, removing any amorphous areas on the particles obtained by, for example, the methods described in WO 92/18110 or WO 95/05805 and then agglomerating, spheronising and sieving the powder obtained. The size of the agglomerates obtained is preferably in the range of from 100 to 2000 μ m, more preferably from 100 to 800 μ m. The bulk density of the formulation produced may be adjusted by varying the components and the process empirically, for example the bulk density can be increased by lengthening the time in which the particles are tumbled in a spheronising device.

In solid-solid mixing, one of the most important features is to ensure content uniformity. The major problem encountered in the powder mixing of fine powders is the inability of mixers to break down powder agglomerates. It has been found that a remicronisation step after the conditioning step of the fine powder with low energy input is advantageous. It should generally be carried out using enough energy to break down powder agglomerates but not with so much energy that the size of the particles themselves is affected. Such a step gives a composition wherein the active substance and carrier substance are substantially uniformly distributed, having for example a relative standard deviation of less than 3% (preferably less than 1%) and does not disturb the crystallinity of the fine particles.

The formulation according to the invention may be administered using any known dry powder inhaler, for example the inhaler may be a single or a multi dose inhaler, and may be

a breath actuated dry powder inhaler, for example Turbuhaler (trade mark). The invention further provides use of a composition according to the invention in the manufacture of a medicament for use in therapy. The composition according to the invention is useful in the treatment of respiratory disorders, particularly asthma. The invention also provides a method of treating a patient suffering from a respiratory disorder which comprises administering to the patient a therapeutically effective amount of a composition according to the invention.

The invention is illustrated, but not limited, by reference to the following Examples.

Example 1

0.0315 Parts of formoterol fumarate dihydrate and 2.969 parts of lactose monohydrate are mixed in a tumbling mixer (Turbula) to an evenly distributed mixture, whereafter the mixture is micronised in a spiral jet mill using a pressure and feeding rate suitable to obtain a particle size of less than 3 µm (mass median diameter as measured by a coulter counter). The micronised particles were then treated using the method disclosed in WO 95/05805 to remove amorphous regions in their crystal structure. The powder was then agglomerated by feeding the powder into a twin screw feeder (K-Tron), sieving in an oscillating sieve (0.5 mm mesh size), spheronising in a rotating pan with a peripheral speed of 0.5m/s for 4 minutes and then sieving again using the same sieve, then spheronising once more for 6 minutes before final sieving (mesh size 1.0 mm) giving a powder with a bulk density of 0.32g/ml.

Example 2

Example 1 was repeated but the powder was remicronised in a spiral jet mill at a lower pressure (about 1 bar) after micronisation and conditioning such that the step of treating the particles in the manner described in WO 95/05805 was not required giving a powder with a bulk density of 0.32 g/ml.

Claims

- 1. A dry powder composition comprising an active substance which is formoterol, a pharmaceutically acceptable salt or solvate thereof, or a solvate of such a salt, and a carrier substance, both of which are in finely divided form, wherein the formulation has a poured bulk density of from 0.28 to 0.38 g/ml.
- 2. A composition according to claim 1 wherein the active substance is formoterol furnarate dihydrate.
- 3. A composition according to claim 1 or 2 wherein the bulk density is from 0.30 to 0.36 g/ml.
- 4. A composition according to claim 1, 2 or 3 wherein the active substance and carrier substance are substantially uniformly distributed.
 - 5. A composition according to any one of claims 1 to 4 for use in the treatment of a respiratory disorder.
- 20 6. A process for preparing a composition according to claim 1 which comprises
 - (a) micronising the active substance and the carrier substance;
 - (b) optionally conditioning the product; and
 - (c) spheronizing until the desired bulk density is obtained.
- 7. A process according to claim 6 which comprises a low energy remicronisation step after step (b).
 - 8. Use of a composition according to any one of claims 1 to 4 in the manufacture of a medicament for use in therapy.

PCT/SE98/00039

9. A method of treating a patient suffering from a respiratory disorder which comprises administering to the patient a therapeutically effective amount of a composition according to any one of claims 1 to 4.

INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 98/00039

A. CLASSIFICATION OF SUBJECT MATTER		
IPC6: A61K 9/72, A61K 31/165 According to International Patent Classification (IPC) or to both national	onal classification and IPC	
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by c	lassification symbols)	
IPC6: A61K	•	
Documentation searched other than minimum documentation to the	extent that such documents are included in	the fields searched
SE,DK,FI,NO classes as above		
Electronic data base consulted during the international search (name of	of data base and, where practicable, search	terms used)
DECOME CALL OLD CO. C.		
LUDY SUCDATEUR CADING		
WPI, USPATFULL, CAPLUS C. DOCUMENTS CONSIDERED TO BE RELEVANT		
	ropriate, of the relevant passages	Relevant to claim No.
X US 5551489 A (EVA A. C. TROFAST I 3 Sept 1996 (03.09.96), colum	ET AL), mn 2, line 8 - line 15	1-9
X US 4590206 A (RAYMOND B. FORREST 1986 (20.05.86), column 4, l column 4, line 42 - line 53	ER ET AL), 20 May ine 15 - line 21;	1-9
	• • • •	
*		
.		
1		
Further documents are listed in the continuation of Box		
* Special categories of cited documents 'A" document defining the general state of the art which is not considered	T later document published after the industrial date and not in conflict with the appropriate the second se	HIGHIOT OUT CHOILE OF STEEL STREET
"A" document defining the general state of the art which it not considered to be of particular relevance "B" effici document but published on or after the international filing date	the principle or theory underlying the "X" document of particular relevance: the	e claimed invention cannot be
E document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	considered novel or cannot be consi step when the document is taken alo	UCLED TO INACIAN BY INACIAN
special reason (as specified)	"Y" document of particular relevance: the considered to involve an inventive s	
means	combined with one or more other so being obvious to a person skilled in	the art
the priority date claimed	"&" document member of the same pate	
Date of the actual completion of the international search	Date of mailing of the international	i search report
13 May 1998	1	9 -05- 1998
13 May 1998 Name and mailing address of the ISA/	Authorized officer	
Swedish Patent Offic	Anneli Jönsson	
Box 5055, S-102 42 STOCKHOLM Facsimile No. + 46 8 666 02 86	Telephone No. + 46 8 782 25 00)
· Latination and the state of t		

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 98/00039

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This inte	mational search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X	Claims Nos.: 9 because they relate to subject maner not required to be searched by this Authority, namely: Remark: Claim 9 is directed to method of treatment of the human or animal body by therapy methods practised on the human or animal body/Rule 39.1(iv). Nevertheless, a search has been executed for this claims. The search has been based on the alleged effects of the composition.
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a). Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)
Box II	Observations where unity of invention is faculty (Continuation of 1222 2 of
1 1 1 1 1 1 1 1	iernational Scalebony and a second property of the second property o
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
,	
4.	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Rema	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

INTERNATIONAL SEARCH REPORT Information on patent family members

29/04/98

International application No.
PCT/SE 98/00039

Patent document cited in search report	Publication date		Patent family member(s)	Publication date
US 5551489 A	03/09/96	AU	7826194 A	01/05/95
		CZ	9600942 A	12/06/96
		EP	0721331 A	17/07/96
		FI	961430 A	29/03/96
		HU	74519 A	28/01/97
		HU	9600821 D	00/00/00
		IL	111080 D	00/00/00
		NO	961290 A	29/03/96
		PL	313765 A	22/07/96
		SE	9303214 D	00/00/00
		SE	9304271 D	00/00/00
		WO	9509615 A	13/04/95
		.ZA	9407533 A	03/04/95
		AU	679789 B	10/07/97
		BR	9407686 A	04/02/97
		ΙL	113023 D	00/00/00
		JP	9504224 T	28/04/97
		SE	9400896 D	00/00/00
	•	· SK	39196 A	04/06/97
		CN	1132476 A	02/10/96
US 4590206 A	20/05/86	AU	540826 B	06/12/84
		AU	8635582 A	10/02/83
		BE	893912 A	24/01/83
		CA	1187415 A	21/05/85
		CH	657273 A,E	
		DK	159716 B,0	26/11/90
		DK	325982 A	25/01/83
		EP	0072046 A,E	16/02/83
		- SE	0072046 T3	
	• ••	FI	822548 A	25/01/83
		FR	2510405 A	04/02/83
		· GB	2105189 A,E	
	ma etc. a	· HK	10088 A	12/02/88
	•	JP	4068285 B	02/11/92
		JP	58059914 A	09/04/83
•	•	LÜ	84291 A	07/02/83
		PT	75310 B	29/11/85
		US	5260306 A	09/11/93
		ZA	8205222 A	25/05/83